



**SIP INDUSTRIAL**

machinery specialists since 1968



# CLEANING RANGE

ELECTRIC FLOOR SCRUBBER / DRYERS | VACUUM CLEANERS & VALETING MACHINES  
ELECTRIC COLD WATER PRESSURE WASHERS | HOT WATER / STEAM PRESSURE WASHERS  
PETROL-POWERED COLD WATER PRESSURE WASHERS

# PRODUCT INDEX

## SIP CLEANING RANGE

		Item No:	Page
FLOOR SCRUBBERS / DRYERS		SIP SD1260AC Mains-Powered Floor Scrubber / Dryer	07980 2
		SIP SD1260BAT Rechargeable Floor Scrubber / Dryer	07982 3
		SIP SD1600AC Mains-Powered Floor Scrubber / Dryer	07984 4
VACUUM CLEANERS		SIP SD1600BAT Rechargeable Floor Scrubber / Dryer	07986 5
		SIP 1400/20 Wet & Dry Vacuum Cleaner	08933 6
		SIP 1400/35 Wet & Dry Vacuum Cleaner	08934 6
VALETING MACHINES		SIP 1230 Professional Wet & Dry Vacuum Cleaner	08936 7
		SIP 1245 Professional Wet & Dry Vacuum Cleaner	08909 7
		SIP 20 Litre 1400 Valeting Machine	08961 8
		SIP 1200/40 Professional Valeting Machine	08954 9
ELECTRIC COLD WATER PRESSURE WASHERS		SIP CW2000 Electric Pressure Washer	08970 10
		SIP CW2300 Electric Pressure Washer	08972 10
		SIP CW2800 Electric Pressure Washer	08974 10
ELECTRIC HOT WATER / STEAM PRESSURE WASHERS		SIP CW3000 Pro Electric Pressure Washer	08976 11
		SIP CW4000 Pro Plus Electric Pressure Washer	08978 11
		SIP T460/130-S Professional Electric Pressure Washer	08932 12
PETROL-POWERED COLD WATER PRESSURE WASHERS		SIP P480/140-S Professional Electric Pressure Washer	08933 12
		SIP P540/150-S Professional Electric Pressure Washer	08934 13
		SIP P700/120 Professional Electric Pressure Washer	08936 13
		SIP PW540/155 Wall Mounted Professional Electric Pressure Washer	08909 14
		SIP HDP660/120-02	08961 15
		SIP PH540/150 Hot Water	08954 16
		SIP PH600/140 A2 Hot Water	08941 17
		SIP PH600/140 T4 Hot Water	08956 18
		SIP PH700/100 Hot Water	08958 19
		SIP PH600/120HDS Hot Steam	08962 20
		SIP PH900/200HDS Hot Steam	08964 21
		SIP TP420/130 Petrol	08912 22
		SIP TP550/206 Petrol	08918 22
		SIP TP650/175 Petrol	08923 23
		SIP TP760/190 Petrol	08925 23
		SIP TP1020/250 Petrol	08930 23
		SIP PP570/150WM KOHLER®	08442 24
		SIP PP660/165WM KOHLER®	08446 24
		SIP PP760/190WM KOHLER®	08443 24
		SIP PP960/210WM KOHLER®	08448 25
		SIP PP960/280WM KOHLER®	08450 25
		SIP TPHGP570/150 HONDA™	08642 26
		SIP TPHGP660/165 HONDA™	08646 26
		SIP TPHGP760/190 HONDA™	08643 26
		SIP PP660/165 HONDA™	08946 27
		SIP PP760/190 HONDA™	08943 27
		SIP PP960/210 HONDA™	08948 27
		SIP PP960/280 HONDA™	08950 27
		SIP TPG680/210 Petrol	08926 28
		SIP TPG680/210 Diesel	08928 28
		SIP PPG960/210 HONDA™	08947 29
		SIP PPG1002/250 HONDA™	08952 29
		SIP PPB480/160 Bowser HONDA™	08916 30





## CLEANING ACCESSORIES & CONSUMABLES

PRESSURE WASHER CLEANING CONSUMABLES & ACCESSORIES	31
SCRUBBER / DRYER ACCESSORIES	32
SCRUBBER / DRYER USAGE & CONSUMABLES	33

SIP (Industrial Products) Limited, have become a flagship supplier of high-quality equipment & machinery to the ever-growing, engineering, construction, automotive and agricultural marketplaces for the last 50 years.

Never content to stand still, SIP are now adding to that portfolio with a new extensive range of dedicated Cleaning Equipment for both domestic and commercial uses. This range includes high pressure and ultra-high pressure cleaners, vacuum and steam cleaners, scrubber-dryers, cleaning products, and backed-up by extensive accessories and consumables options as well as technical support.

As Machinery Specialists since 1968, SIP offers quality, value, and choice making sure that you have the right product for the task in hand.




**SIP PRODUCT CATALOGUES AVAILABLE NOW!**

## SIP PRESSURE WASHER PUMPS

Use two main types of pump: AXIAL (or Axial Piston/Axial Plunger) or TRIPLEX CRANKSHAFT (or in-line pistons). Both these types essentially consist of two fundamental elements: the head (usually made of brass, guaranteeing excellent corrosion resistance), which encloses the hydraulic part of the pump, and the crankcase, which contains the mechanical and kinematic part.

The fundamental difference between the two kinds of piston pump are that an axial pump ensures the movement of the pistons through a system of connecting rods and crankshaft.



## Why choose a 4-POLE motor?

4-POLE electric motors are slower running and draw less current compared to 2-pole versions. When coupled up with a pump the result is a more consistent and sustained pressure output, and slower running performance gives longer motor and pump lifespans.



## ICON KEY: SCRUBBER DRYERS / VACUUM CLEANERS / VALETING MACHINES / PRESSURE WASHERS

	AC SUPPLY - VOLTS		BRUSH MOTOR POWER (SCRUBBER/DRYER)		WORKING CAPACITY		MAXIMUM PRESSURE
	3 PHASE SUPPLY - VOLTS		SUCTION MOTOR POWER (SCRUBBER/DRYER)		DETERGENT/CLEANING SOLUTION TANK		WATER FLOW RATE
	BATTERY POWERED		BRUSH ROTATION SPEED		SOLUTION RECOVERY TANK		SUCKS WATER
	MOTOR POWER		BRUSH PRESSURE		DRUM CAPACITY		WATER TEMPERATURE
	ENGINE TYPE/POWER		BRUSH DIAMETER		WATER CAPACITY		WEIGHT



# ELECTRIC FLOOR SCRUBBER / DRYERS

ITEM NO: 07980

## SIP SD1260AC Mains-Powered Walk-Behind Floor Scrubber / Dryer

Suitable to work in highly congested areas like small shops, offices, kitchens, schools, hospitals, bars, gyms and restaurants.



### WHAT'S IN THE BOX?

- SIP SD1260AC Scrubber/Dryer
- BRUSH (PW23-00001)
- SQUEEGEE (PW23-00002)
- SQUEEGEE (PW23-00003)



Don't forget  
**CONSUMABLES**  
See page 32



**SQUEEGEES  
INCLUDED**



RECLINING HANDLE  
adjusts for any operator's height and  
folds for compact storage.

MODEL	SIP SD1260AC
PRODUCT CODE	07980
Input Supply	230 V (13 A)
Working Capacity	1260 m³/hr
Brush Motor Power	370 W (0.49 HP)
Vacuum Motor Power	400 W (0.53 HP)
Scrubbing Area / Squeegee Width	360 / 440mm
Brush Diameter	360 mm
Cleaning Solution Tank Capacity	11 Litres
Solution Recovery Tank Capacity	13 Litres
Brush Pressure	18 KG
Brush Speed	130 RPM
Noise Level	83 dB(A)
Weight	61 kg
Packaged Dimensions	1200 x 430 x 970 mm
Barcode Number	5012713079803



EASY-TO-USE CONTROLS



EASY ACCESS TO MECHANICAL PARTS  
easy maintenance of each component, the  
recovery tank can be removed without the  
need for tools



# ELECTRIC FLOOR SCRUBBER / DRYERS

ITEM NO: 07982

## SIP SD1260BAT Rechargeable Walk-Behind Floor Scrubber / Dryer

Suitable to work in highly congested areas like small shops, offices, kitchens, schools, hospitals, bars, gyms and restaurants.

MADE IN ITALY

 12 V DC	 1260 m³/hr
 250 W	 130 RPM
 180 W	 18 KG
 11 Ltr	 360 mm
 13 Ltr	 70 KG

### WHAT'S IN THE BOX?

- SIP SD1260BAT Scrubber/Dryer
- BRUSH (PW23-00001)
- SQUEEGEE (PW23-00002)
- SQUEEGEE (PW23-00003)
- ON-BOARD CHARGER (PW23-00004)
- 12V BATTERY (PW23-00005)

Don't forget  
**CONSUMABLES**  
See page 32

**2**  
YEAR  
WARRANTY

**SQUEEGEES  
INCLUDED**



ACCESSIBLE ON-BOARD CHARGER

MODEL	SIP SD1260BAT
PRODUCT CODE	07982
Battery Power	12 V DC (1x 55 Ah)
Working Capacity	1260 m³/hr
Brush Motor Power	250 W (0.33 HP)
Vacuum Motor Power	180 W (0.24 HP)
Scrubbing Area / Squeegee Width	360 / 440mm
Brush Diameter	360 mm
Cleaning Solution Tank Capacity	11 Litres
Solution Recovery Tank Capacity	13 Litres
Brush Pressure	18 KG
Brush Speed	130 RPM
Noise Level	83 dB(A)
Weight	70 kg
Packaged Dimensions	1200 x 430 x 970 mm
Barcode Number	5012713079827



EASY-TO-USE CONTROLS



RECLINING HANDLE  
adjusts for any operator's height and  
folds for compact storage.

# ELECTRIC FLOOR SCRUBBER / DRYERS

ITEM NO: 07984

## SIP SD1600AC Mains-Powered Walk-Behind Floor Scrubber / Dryer

Ideal for small and medium floors up to 1600m<sup>3</sup>, especially when congested by people or furnishing in wellness centres, gyms, car showrooms, retail shops, hospitals and schools.



230 V	1600 m <sup>3</sup> /hr
400 W	150 RPM
700 W	18 KG
30 Ltr	430 mm
35 Ltr	66 KG

**2**  
YEAR  
WARRANTY

### WHAT'S IN THE BOX?

- SIP SD1600AC Scrubber/Dryer
- BRUSH (PW23-00016)
- SQUEEGEE (PW23-00017)
- SQUEEGEE (PW23-00018)

**SQUEEGES INCLUDED**



Time-saving foot-operated squeegee lift.  
Handle can be easily adjusted to comfortable operation height.



Don't forget  
**CONSUMABLES**  
See page 32

MODEL	SIP SD1600AC
PRODUCT CODE	07984
Input Supply	230 V (13 A)
Working Capacity	1600 m <sup>3</sup> /hr
Brush Motor Power	400 W (0.53 HP)
Vacuum Motor Power	700 W (0.93 HP)
Scrubbing Area / Squeegee Width	430 / 540mm
Brush Diameter	430 mm
Solution Tank Capacity	30 Litres
Recovery Tank Capacity	35 Litres
Brush Pressure	18 KG
Brush Speed	150 RPM
Noise Level	83 dB(A)
Weight	66 kg
Packaged Dimensions	1170 x 780 x 580 mm
Barcode Number	50127130798031



EASY-TO-USE CONTROLS



EASY ACCESS  
to clean water recovery tank and floater



# ELECTRIC FLOOR SCRUBBER / DRYERS

ITEM NO: 07986

## SIP SD1600BAT Rechargeable Walk-Behind Floor Scrubber / Dryer

Ideal for small and medium floors up to 1600m<sup>3</sup>, especially when congested by people or furnishing in wellness centres, gyms, car showrooms, retail shops, hospitals and schools.

MADE IN ITALY

 12 V DC	 1600 m <sup>3</sup> /hr
 400 W	 150 RPM
 400 W	 18 KG
 30 Ltr	 430 mm
 35 Ltr	 97 KG

**2**  
YEAR  
WARRANTY

### WHAT'S IN THE BOX?

- SIP SD1600BAT Scrubber/Dryer
- BRUSH (PW23-00016)
- SQUEEGEE (PW23-00017)
- SQUEEGEE (PW23-00018)
- ON-BOARD CHARGER (PW23-00019)
- 2x 12V BATTERY (PW23-00020)

**SQUEEGEES INCLUDED**



EXTENSIVE SQUEEGEE SPIN  
for easy blade replacement and perfect suction

Don't forget  
**CONSUMABLES**  
See page 32

MODEL	SIP SD1600BAT
PRODUCT CODE	07986
Battery Power	12 V DC (2x 55 Ah)
Working Capacity	1600 m <sup>3</sup> /hr
Brush Motor Power	400 W (0.53 HP)
Vacuum Motor Power	400 W (0.53 HP)
Scrubbing Area / Squeegee Width	450 / 540mm
Brush Diameter	430 mm
Solution Tank Capacity	30 Litres
Recovery Tank Capacity	35 Litres
Brush Pressure	18 KG
Brush Speed	150 RPM
Noise Level	83 dB(A)
Weight	97 kg
Packaged Dimensions	1170 x 780 x 580 mm
Barcode Number	5012713079865



EASY-TO-USE CONTROLS





# WET & DRY VACUUM CLEANERS

ITEM NO: 07907

## SIP 1400/20 Wet & Dry Vacuum Cleaner

1400W MOTOR

20 LITRE CAPACITY



230 V

1400 W

20 Ltr

12 Ltr

7.2 KG

ITEM NO: 07913

## SIP 1400/35 Wet & Dry Vacuum Cleaner

1400W MOTOR

35 LITRE CAPACITY

DRAIN PLUG



230 V

1400 W

35 Ltr

24 Ltr

10 KG



### WHAT'S IN THE BOX?

1x vacuum cleaner, 1.5m flexible hose, 2x metal extension tubes, 1x brush and 1x crevice tool and filter bag.

MODEL	SIP 1400/20 WET & DRY
PRODUCT CODE	07907
Input Supply	230 V (13 A)
Motor	1400 W (1.8 HP)
Working Air Flow	58 Ltr/sec
Hose Length	1.5 metres
Drum Capacity	20 Litres
Water Capacity	12 Litres
Noise Level	65 dB(A)
Wheel-mounted	✓
Weight	7.2 kg
Packaged Dimensions	440 x 293 x 510 mm
Barcode Number	5012713079070

### WHAT'S IN THE BOX?

1x vacuum cleaner, 1.5m flexible hose, 2x metal extension tubes, 1x brush and 1x crevice tool, 1x filter and filter bag.

MODEL	SIP 1400/35 WET & DRY
PRODUCT CODE	07913
Input Supply	230 V (13 A)
Motor	1400 W (1.8 HP)
Working Air Flow	58 Ltr/sec
Hose Length	2 metres
Drum Capacity	35 Litres
Water Capacity	24 Litres
Noise Level	65 dB(A)
Wheel-mounted	✓
Weight	10 kg
Packaged Dimensions	590 x 350 x 350 mm
Barcode Number	5012713079131

# PROFESSIONAL WET & DRY VACUUM CLEANERS

ITEM NO: 07937

## SIP 1230 Wet & Dry Vacuum Cleaner

1200W 2-STAGE MOTOR WITH BY-PASS COOLING

30 LITRE CAPACITY

SHOCKPROOF HIGH-DENSITY POLYETHYLENE TANK

NON-MARKING RUBBER-COATED CASTORS

65 dB(A) NOISE LEVEL



**HEAVY-DUTY ACCESSORIES**

**SUPERIOR QUALITY 2-STAGE MOTOR FOR HIGHER SUCTION**

MADE IN ITALY

230 V

1200 W 2 STAGE

30 Ltr

12 Ltr

9.2 KG

**2 YEAR WARRANTY**



ITEM NO: 07938

## SIP 1245 Wet & Dry Vacuum Cleaner

1200W 2-STAGE MOTOR WITH BY-PASS COOLING

45 LITRE CAPACITY

SHOCKPROOF HIGH-DENSITY POLYETHYLENE TANK

NON-MARKING RUBBER-COATED CASTORS

65 dB(A) NOISE LEVEL



**HEAVY-DUTY ACCESSORIES**

**SUPERIOR QUALITY 2-STAGE MOTOR FOR HIGHER SUCTION**

MADE IN ITALY

230 V

1200 W 2 STAGE

45 Ltr

24 Ltr

10.7 KG

**2 YEAR WARRANTY**



### WHAT'S IN THE BOX?

1x vacuum cleaner, flexible hose, 2x metal extension tubes, combination brush, crevice tool, round brush, upholstery tool, squeegee floor tool, polyester filter with support ring and super fine filter bag.

MODEL	SIP 1230 WET & DRY
PRODUCT CODE	07937
Input Supply	230 V (13 A)
Motor	1200 W (2-stage with bypass cooling)
Water Lift Height	2200 mm
Working Air Flow	198 m³/hr
Hose Length	1.5 metres
Drum Capacity	30 Litres
Water Capacity	12 Litres
Noise Level	65 dB(A)
Wheel-mounted	✓
Weight	9.2 kg
Packaged Dimensions	590 x 480 x 470 mm
Barcode Number	5012713079377

### WHAT'S IN THE BOX?

1x vacuum cleaner, flexible hose, 2x metal extension tubes, combination brush, crevice tool, round brush, upholstery tool, squeegee floor tool, polyester filter with support ring and super fine filter bag.

MODEL	SIP 1245 WET & DRY
PRODUCT CODE	07938
Input Supply	230 V (13 A)
Motor	1200 W (2-stage with bypass cooling)
Water Lift Height	2200 mm
Working Air Flow	198 m³/hr
Hose Length	2 metres
Drum Capacity	45 Litres
Water Capacity	24 Litres
Noise Level	65 dB(A)
Wheel-mounted	✓
Weight	10.7 kg
Packaged Dimensions	770 x 470 x 470 mm
Barcode Number	5012713079384



# VALETING MACHINE

ITEM NO: 07916

## SIP 20 Litre 1400 Valeting Machine

1400W MOTOR

20 LITRE CAPACITY

QUICK DRAIN PLUG



230 V



1400 W



20 Ltr



3 Ltr



10 KG



Don't forget  
**SIP VALETING  
DETERGENT**  
See page 31



### WHAT'S IN THE BOX?

1x valeting machine, 2x metal extension tubes, 2x detergent attachments, floor brush and crevice tool.

MODEL	SIP 20 Ltr 1400 VALETING MACHINE
PRODUCT CODE	07916
Input Supply	230 V (13 A)
Motor	1400 W (1.8 HP)
Vacuum Level	16 kpa
Drum Capacity	20 Litres
Detergent/Water Tank Capacity	3 Litres
Hose Length	1.5 metres
Noise Level	65 dB(A)
Wheel-mounted	✓
Weight	10 kg
Packaged Dimensions	580 x 360 x 360 mm
Barcode Number	5012713079162





# PROFESSIONAL VALETING MACHINE

ITEM NO: 07928

## SIP 1200/40 Valeting Machine

1200W 2-STAGE MOTOR WITH BY-PASS COOLING

65W PUMP

40 LITRE CAPACITY

STAINLESS STEEL TANK

65 dB(A) NOISE LEVEL



Don't forget  
SIP VALETING  
DETERGENT  
See page 31

**SUPERIOR  
QUALITY  
2-STAGE  
MOTOR  
FOR  
HIGHER  
SUCTION**



INTEGRATED  
3 LITRE DETERGENT TANK



MODEL	SIP 1200/40 VALETING MACHINE
PRODUCT CODE	07928
Input Supply	230 V (13 A)
Motor	1200 W (2-stage with bypass cooling)
Pump	65 W
Water Lift Height	2200 mm
Working Air Flow	198 m³/hr
Hose Length	2 metres
Drum Capacity	40 Litres
Detergent/Water Tank Capacity	3 Litres
Noise Level	65 dB(A)
Wheel-mounted	✓
Weight	12.8 kg
Packaged Dimensions	730 x 450 x 450 mm
Barcode Number	5012713079285

### WHAT'S IN THE BOX?

1x valeting machine, flexible hose, upholstery hand tool, combination brush, crevice tool, round brush, upholstery tool, squeegee floor tool, polyester filter with support ring and super fine filter bag.



sales hotline: 01509 500500

| [www.sip-group.com](http://www.sip-group.com)

# ELECTRIC PRESSURE WASHERS

ITEM NO: 08970

## SIP CW2000

AXIAL PUMP

TOTAL STOP  
FUNCTION

LANCE WITH  
INTERCHANGEABLE  
NOZZLE HEADS

TWIST-ON HIGH  
PRESSURE & TURBO  
NOZZLE HEADS

0.3 LITRE CLIP-ON  
DETERGENT BOTTLE

EXTRA-LARGE  
RUBBER-COVERED  
WHEELS

ITALIAN  
DESIGN

230 V

2000 W

2030 PSI  
140 BAR

360 Ltr/hr

14 KG

**BRUSHLESS  
INDUCTION  
MOTOR POWERED**

ITEM NO: 08972

## SIP CW2300

AXIAL PUMP

TOTAL STOP  
FUNCTION

STEEL LANCE WITH  
ADJUSTABLE NOZZLE

STEEL TURBO LANCE

0.4 LITRE  
DETERGENT TANK

EXTRA-LARGE  
RUBBER-COVERED  
WHEELS



INTEGRATED 0.4 LITRE  
DETERGENT TANK

ITALIAN  
DESIGN

230 V

2300 W

2900 PSI  
200 BAR

300 Ltr/hr

0.4 Ltr

18 KG

**BRUSHLESS  
INDUCTION  
MOTOR POWERED**

ITEM NO: 08974

## SIP CW2800

AXIAL PUMP

TOTAL STOP  
FUNCTION

STEEL LANCE WITH  
ADJUSTABLE NOZZLE

STEEL TURBO LANCE

INTEGRATED HOSE  
REEL

1.8 LITRE  
DETERGENT TANK

EXTRA-LARGE  
RUBBER-COVERED  
WHEELS



INTEGRATED 1.8 LITRE  
DETERGENT TANK

ITALIAN  
DESIGN

230 V

2800 W

2610 PSI  
180 BAR

510 Ltr/hr

1.8 Ltr

22 KG

**BRUSHLESS  
INDUCTION  
MOTOR POWERED**

IDEAL FOR  
LIGHT  
COMMERCIAL  
USE



MODEL	SIP CW2000
PRODUCT CODE	08970
Input Supply	230 V (13 A)
Brushless Induction Motor	2000 W
Maximum Pressure	1377 - 2030 psi (140 bar)
Water Flow Rate	360 Ltr/hr
Hose	6 metre
Detergent Tank	X
Noise Level (LpA)	74 dB(A)
Weight	14 kg
Packaged Dimensions	365 x 365 x 575 mm
Barcode Number	5012713089703

MODEL	SIP CW2300
PRODUCT CODE	08972
Input Supply	230 V (13 A)
Brushless Induction Motor	2300 W
Maximum Pressure	2175 - 2900 psi (200 bar)
Water Flow Rate	300 Ltr/hr
Hose	8 metre
Detergent Tank	0.4 Litre
Noise Level (LpA)	96.7 dB(A)
Weight	18 kg
Packaged Dimensions	350 x 350 x 660 mm
Barcode Number	5012713089727

MODEL	SIP CW2800
PRODUCT CODE	08974
Input Supply	230 V (13 A)
Brushless Induction Motor	2800 W
Maximum Pressure	1885 - 2610 psi (180 bar)
Water Flow Rate	510 Ltr/hr
Hose	8 metre
Detergent Tank	1.8 Litre
Noise Level (LpA)	93 dB(A)
Weight	22 kg
Packaged Dimensions	405 x 405 x 695 mm
Barcode Number	5012713089741



# ELECTRIC PRESSURE WASHERS

ITEM NO: 08976

## SIP CW3000 Pro

2300W 4-POLE MOTOR  
BRASS-HEAD CRANKSHAFT PUMP  
TOTAL STOP FUNCTION  
STAINLESS STEEL VALVES  
ADJUSTABLE PRESSURE REGULATOR  
PRESSURE GAUGE  
STEEL LANCE WITH ADJUSTABLE NOZZLE  
HEAVY-DUTY HOSE  
EXTRA-LARGE RUBBER-COVERED WHEELS



BRASS HEAD PUMP WITH PRESSURE GAUGE (08976 & 08978)



EXTRA-LARGE WHEELS (08976 & 08978)

**ITALIAN DESIGN**

230 V

2300 W 4 POLE

1740 PSI 120 BAR

UP TO 480 Ltr/hr

34 KG

**BRUSHLESS INDUCTION MOTOR POWERED**

ITEM NO: 08978

## SIP CW4000 Pro Plus

2300W 4-POLE MOTOR  
BRASS-HEAD CRANKSHAFT PUMP  
TOTAL STOP FUNCTION  
STAINLESS STEEL VALVES  
ADJUSTABLE PRESSURE REGULATOR  
PRESSURE GAUGE  
STEEL LANCE WITH ADJUSTABLE NOZZLE  
HEAVY-DUTY HOSE  
1.8 LITRE DETERGENT TANK  
EXTRA-LARGE RUBBER-COVERED WHEELS



INTEGRATED 1.8 LITRE DETERGENT TANK



4-POLE MOTOR (08976 & 08978)

**ITALIAN DESIGN**

230 V

2800 W 4 POLE

2175 PSI 150 BAR

UP TO 540 Ltr/hr

1.8 Ltr

34 KG

**BRUSHLESS INDUCTION MOTOR POWERED**

IDEAL FOR FARMING & COMMERCIAL USE



IDEAL FOR FARMING & COMMERCIAL USE



MODEL	SIP CW3000 PRO
PRODUCT CODE	08976
Input Supply	230 V (13 A)
Brushless Induction Motor	2300 W (4-pole) 1450 rpm
Maximum Pressure	1450 - 1740 psi (100 - 120 bar) variable
Water Flow Rate	up to 480 Ltr/hr
Hose	8 metre heavy-duty
Detergent Tank	x
Noise Level (LpA)	93 dB(A)
Weight	34 kg
Packaged Dimensions	470 x 580 x 570 mm
Barcode Number	5012713089765

MODEL	SIP CW4000 PRO PLUS
PRODUCT CODE	08978
Input Supply	230 V (13 A)
Brushless Induction Motor	2800 W (4-pole) 1450 rpm
Maximum Pressure	1885 - 2175 psi (130 - 150 bar) variable
Water Flow Rate	up to 540 Ltr/hr
Hose	10 metre heavy-duty
Detergent Tank	1.8 Litre
Noise Level	93 dB(A)
Weight	34 kg
Packaged Dimensions	470 x 580 x 570 mm
Barcode Number	5012713089789



# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08932

## SIP T480/130-S

TOTAL STOP FUNCTION  
INTEGRATED HOSE REEL  
EXTRA-LARGE WHEELS



ITEM NO: 08933

## SIP P480/140-S

PRESSURE GAUGE AND THERMAL PROTECTION  
TOTAL STOP FUNCTION  
INTEGRATED HOSE REEL  
EXTRA-LARGE WHEELS



### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle, turbo lance, 10 metre hose and foam bottle

MODEL	SIP T480/130-S
PRODUCT CODE	08932
Input Supply	230 V (13 A)
Brushless Induction Motor	2400 W (3.2 HP)
Turbo Pressure	3345 psi (EWP*) turbo lance
Maximum Pressure	1885 psi (130 bar)
Water Flow Rate	480 Ltr/hr
Hose Length	10 metre
Noise Level	77 dB(A)
Weight	22 kg
Packaged Dimensions	890 x 320 x 380 mm
Barcode Number	5012713089321

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle, turbo lance, 10 metre hose and foam bottle

MODEL	SIP P480/140-S
PRODUCT CODE	08933
Input Supply	230 V (13 A)
Brushless Induction Motor	2400 W (3.2 HP)
Turbo Pressure	3600 psi (EWP*) turbo lance
Maximum Pressure	1885 psi (130 bar)
Water Flow Rate	480 Ltr/hr
Hose Length	10 metre
Noise Level	75 dB(A)
Weight	23 kg
Packaged Dimensions	890 x 320 x 380 mm
Barcode Number	50127130089338

\*EWP (Equivalent working pressure) with turbo nozzle / lance action

\*EWP (Equivalent working pressure) with turbo nozzle / lance action

# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08934

## SIP P540/150-S

PRESSURE GAUGE AND THERMAL PROTECTION

TOTAL STOP FUNCTION

BRASS-HEADED AXIAL PUMP

INTEGRATED HOSE REEL

EXTRA-LARGE WHEELS



BRASS-HEADED AXIAL PUMP WITH PRESSURE GAUGE



**BRUSHLESS  
INDUCTION  
MOTOR POWERED**

**2  
YEAR  
WARRANTY**



ITEM NO: 08936

## SIP P700/120

PRESSURE GAUGE AND THERMAL PROTECTION

TOTAL STOP FUNCTION

BRASS-HEADED AXIAL PUMP

SUCKS WATER\*\*

EXTRA-LARGE WHEELS



INTEGRATED  
DETERGENT  
TANK



BRASS-HEADED  
AXIAL PUMP WITH  
PRESSURE GAUGE



**BRUSHLESS  
INDUCTION  
MOTOR POWERED**

**2  
YEAR  
WARRANTY**



### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle, turbo lance and 10 metre hose

MODEL	SIP P540/150-S
PRODUCT CODE	08934
Input Supply	230 V (13 A)
Brushless Induction Motor	2700 W (3.6 HP)
Turbo Pressure	4000 psi (EWP*) turbo lance
Maximum Pressure	2030 psi (140 bar)
Water Flow Rate	540 Ltr/hr
Hose Length	10 metre
Detergent Tank	4 Litre
Noise Level	81 dB(A)
Weight	26 kg
Packaged Dimensions	890 x 320 x 380 mm
Barcode Number	50127130089345

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle, turbo lance and 8 metre hose

MODEL	SIP P700/120
PRODUCT CODE	08936
Input Supply	230 V (13 A)
Brushless Induction Motor	2900 W (3.9 HP)
Turbo Pressure	3000 psi (EWP*) turbo lance
Maximum Pressure	1742 psi (120 bar)
Water Flow Rate	700 Ltr/hr
Sucks Water	Up to 1 metre**
Hose Length	8 metre
Detergent Tank	4 Litre
Noise Level	88 dB(A)
Weight	23 kg
Packaged Dimensions	890 x 320 x 380 mm
Barcode Number	50127130089369

\*EWP (Equivalent working pressure) with turbo nozzle / lance action

\*EWP (Equivalent working pressure) with turbo nozzle / lance action

\*\*Low pressure priming necessary

# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08909

## SIP PW540/155 Wall-Mounted

QUICK WALL COUPLING SYSTEM

BRASS-HEADED AXIAL PUMP

WATER INLET WITH CARTRIDGE FILTER

HEAVY-DUTY HOSE



BRASS-HEADED  
AXIAL PUMP



ACCESSORY RACK  
INCLUDED



IDEAL FOR  
COMMERCIAL  
USE



QUICK WALL-COUPLING SYSTEM

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle, turbo lance, rotary brush, foam bottle, accessory rack, wall bracket and 20 metre hose.

MODEL	SIP PW540/155
PRODUCT CODE	08909
Input Supply	230 V (13 A)
Brushless Induction Motor	2400 W (3.2 HP)
Maximum Pressure	2175 psi (150 bar)
Water Flow Rate	510 Ltr/hr
Hose Length	20 metre
Noise Level	93 dB(A)
Weight	22 kg
Packaged Dimensions	610 x 300 x 560 mm
Barcode Number	5012713089093



Don't forget  
**SIP PRESSURE WASHER  
DETERGENT**  
See page 31



INTEGRATED CARRY HANDLE



# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08961

## SIP HD660/120-02

3000W 4-POLE MOTOR

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

INTEGRAL CERAMIC PISTONS

SUCKS WATER\*\*

EXTRA-LARGE WHEELS

IDEAL FOR  
FARMING &  
COMMERCIAL  
USE

SUCKS  
WATER



Don't forget  
SIP PRESSURE WASHER  
DETERGENT  
See page 31

MADE IN  
ITALY

230 V

3000 W  
4 POLE

1742 PSI  
120 BAR

660 Ltr/hr

UP TO  
2 Mtrs\*\*

62 KG

BRUSHLESS  
INDUCTION  
MOTOR POWERED

2  
YEAR  
WARRANTY




### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 10 metre hose.

MODEL	SIP HDP660/120-02
PRODUCT CODE	08961
Input Supply	230 V (13 A)
Brushless Induction Motor	3000 W (4 HP) 4-pole
Maximum Pressure	1742 psi (120 bar)
Water Flow Rate	660 Ltr/hr
Pump Type	Brass-Headed Triplex
Sucks	Up to 2 metres**
Hose Length	10 metre
Noise Level	93 dB(A)
Weight	62 kg
Packaged Dimensions	620 x 900 x 840 mm
Barcode Number	5012713089611

\*\*Low pressure priming necessary



3000 W 4-POLE BRUSHLESS  
INDUCTION MOTOR



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

### Did you know?

4-POLE Motors are slower running and draw less current compared to 2-pole versions.

When coupled with a pump the result is a more consistent and sustained pressure output with a longer motor and pump lifespan.

# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08954

## SIP PH540/150 Hot Water

TOTAL STOP FUNCTION

LOW PRESSURE DETERGENT SUCTION

PRESSURE GAUGE

HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE

INTEGRATED HOSE REEL

STRONG ONE PIECE BODY COVER



COMPACT DESIGN

IDEAL FOR  
LIGHT  
COMMERCIAL  
USE



Don't forget  
SIP PRESSURE WASHER  
DETERGENT  
See page 31

MADE IN  
ITALY

230 V

2700 W  
2 POLE

2175 PSI  
150 BAR

540 Ltr/hr

> 90 °C  
(VARIABLE)

4.5 Ltr

85 KG

BRUSHLESS  
INDUCTION  
MOTOR POWERED

2  
YEAR  
WARRANTY



EASY-TO-USE CONTROL  
PANEL


### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 10 metre hose

MODEL	SIP PH540/150 HOT WATER
PRODUCT CODE	08954
Input Supply	230 V (13 A)
Brushless Induction Motor	2700 W (3.6 HP) 2-pole
Maximum / Working Pressure	2175 psi (150 bar)
Water Flow Rate	540 Ltr/hr
Maximum Water Temperature	Up to 90°C (variable)
Pump Type	All-metal Brass-Headed Axial Plunger
Hose Length	8 metre
Detergent Tank	4.5 Litre
Boiler Fuel Tank Capacity	15 Litre
Noise Level	82 dB(A)
Weight	85 kg
Packaged Dimensions	890 x 500 x 820 mm
Barcode Number	5012713089543



INTEGRATED HOSE REEL



4.5 LITRE DETERGENT  
15 LITRE DIESEL TANK  
CAPACITY



ALL-METAL  
BRASS-HEADED  
AXIAL PLUNGER PUMP  
FITTED

# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08941

## SIP PH600/140 A2 Hot Water

TOTAL STOP FUNCTION

BRASS-HEADED AXIAL PLUNGER PUMP

LOW PRESSURE DETERGENT SUCTION

PRESSURE GAUGE

HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE

STRONG ONE PIECE BODY COVER

INTEGRATED FRONT AND REAR BUMPERS



EASY-TO-USE  
CONTROL PANEL



DETERGENT TANK



IDEAL FOR  
COMMERCIAL  
USE

INTEGRATED  
FRONT & REAR  
BUMPERS  
FOR PROTECTION &  
DURABILITY



SHROUDED LANCE  
NOZZLE

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 8 metre heavy-duty hose

MODEL	SIP PH600/140 A2 HOT WATER
PRODUCT CODE	08941
Input Supply	230 V (13 A)
Brushless Induction Motor	2200 W (3 HP), 2800 rpm, 2-pole
Maximum Pressure	2030 psi (140 bar)
Working Pressure	1742 psi (120 bar)
Water Flow Rate	600 Ltr/hr
Maximum Water Temperature	110°C
Pump Type	All-Metal Brass-Headed Axial Plunger
Hose Length	10 metre heavy-duty
Detergent Tank	3.5 Litre
Boiler Fuel Tank Capacity	15 Litre (diesel)
Noise Level	93 dB(A)
Weight	95 kg
Packaged Dimensions	380 x 850 x 950 mm
Barcode Number	5012713089413



CASTOR WITH LOCKING  
BRAKE



REAR BUMPER



HEAVY-DUTY WHEELS



POWERFUL MOTOR



PRESSURE GAUGE



ALL-METAL  
BRASS-HEADED  
AXIAL PLUNGER PUMP  
FITTED



# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08956

## SIP PH600/140 T4 Hot Water

TOTAL STOP FUNCTION

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

LOW PRESSURE DETERGENT SUCTION

PRESSURE GAUGE

HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE

STRONG ONE PIECE BODY COVER

INTEGRATED FRONT AND REAR BUMPERS



EASY-TO-USE  
CONTROL PANEL



INTEGRATED DETERGENT  
TANK



IDEAL FOR  
COMMERCIAL  
USE



INTEGRATED  
FRONT & REAR  
BUMPERS  
FOR PROTECTION &  
DURABILITY



SHROUDED LANCE  
NOZZLE

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 8 metre heavy-duty hose

MODEL	SIP PH600/140 T4 HOT WATER
PRODUCT CODE	08956
Input Supply	230 V (13 A)
Brushless Induction Motor	2200 W (3 HP), 1400 rpm, 4-pole
Maximum Pressure	2030 psi (140 bar)
Working Pressure	1886 psi (130 bar)
Water Flow Rate	600 Ltr/hr
Maximum Water Temperature	110°C
Pump Type	All-Metal Brass-Headed In-line Triplex
Hose Length	10 metre
Detergent Tank	3.5 Litre
Boiler Fuel Tank Capacity	15 Litre (diesel)
Noise Level	92 dB(A)
Weight	100 kg
Packaged Dimensions	380 x 850 x 950 mm
Barcode Number	5012713089567



CASTOR WITH LOCKING  
BRAKE



REAR BUMPER



HEAVY-DUTY WHEELS



POWERFUL MOTOR



PRESSURE GAUGE



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08958

## SIP PH720/100 Hot Water

TOTAL STOP FUNCTION

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

**INTEGRATED WATER SOFTENER/DESCALING TANK AS STANDARD**

HIGH PRESSURE DETERGENT SUCTION

PRESSURE GAUGE

HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE WITH PROTECTIVE SHROUD

STRONG ONE PIECE BODY COVER

INTEGRATED FRONT BUMPER

IDEAL FOR  
COMMERCIAL  
USE



INTEGRATED DETERGENT TANK



EASY INTERNAL ACCESS



HIGH  
FLOW  
RATE

2 WHEELS &  
2 CASTORS  
FOR STABILITY

INTEGRATED  
FRONT  
BUMPER  
FOR PROTECTION &  
DURABILITY

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 10 metre heavy-duty hose

MODEL	SIP PH720/100 HOT WATER
PRODUCT CODE	08958
Input Supply	230 V (13 A)
Brushless Induction Motor	3000 W (4 HP), 1400 rpm, 4-pole
Maximum / Working Pressure	1450 psi (100 bar)
Water Flow Rate	720 Ltr/hr
Maximum Water Temperature	110°C
Pump Type	All-metal Brass-Headed Triplex
Hose Length	10 metre heavy-duty
Detergent Tank	3.5 Litre
Boiler Fuel Tank Capacity	18 Litre
Noise Level	92 dB(A)
Weight	120 kg
Packaged Dimensions	950 x 620 x 850 mm
Barcode Number	5012713089581



SHROUDED LANCE NOZZLE



EASY-TO-USE CONTROL PANEL



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08962

## SIP PH660/120HDS Hot Steam

TOTAL STOP FUNCTION

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

**INTEGRATED WATER SOFTENER/DESCALING TANK AS STANDARD**

HIGH PRESSURE DETERGENT SUCTION

PRESSURE GAUGE

HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE WITH PROTECTIVE SHROUD

STRONG ONE PIECE BODY COVER

INTEGRATED FRONT BUMPER

IDEAL FOR  
COMMERCIAL  
USE



INTEGRATED DETERGENT  
TANK



EASY INTERNAL  
ACCESS



**2 WHEELS &  
2 CASTORS  
FOR STABILITY**

**INTEGRATED  
FRONT  
BUMPER  
FOR PROTECTION &  
DURABILITY**

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 10 metre heavy-duty hose

MODEL	SIP PH660/120HDS HOT STEAM
PRODUCT CODE	08962
Input Supply	230 V (13 A)
Brushless Induction Motor	2200 W (3 HP), 4-pole
Maximum / Working Pressure	1740 psi (120 bar)
Water Flow Rate	660 Ltr/hr
Maximum Water Temperature	85 to 140°C
Pump Type	All-metal Brass-Headed Triplex Crankshaft
Hose Length	10 metre heavy-duty
Detergent Tank	3.5 Litre
Boiler Fuel Tank Capacity	18 Litre
Noise Level	92 dB(A)
Weight	110 kg
Packaged Dimensions	950 x 620 x 850 mm
Barcode Number	5012713089628



SHROUDED LANCE  
NOZZLE



EASY-TO-USE CONTROL  
PANEL



**ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP**



# PROFESSIONAL ELECTRIC PRESSURE WASHERS

ITEM NO: 08964

## SIP PH900/200HDS Hot Steam

TOTAL STOP FUNCTION

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

**INTEGRATED WATER SOFTENER/DESCALING TANK AS STANDARD**

HIGH PRESSURE DETERGENT SUCTION

PRESSURE GAUGE

HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE WITH PROTECTIVE SHROUD

STRONG ONE PIECE BODY COVER

INTEGRATED FRONT BUMPER

IDEAL FOR  
COMMERCIAL  
USE



INTEGRATED DETERGENT  
TANK



EASY INTERNAL  
ACCESS

HIGH  
FLOW  
RATE



2 WHEELS &  
2 CASTORS  
FOR STABILITY

INTEGRATED  
FRONT  
BUMPER  
FOR PROTECTION &  
DURABILITY

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 10 metre heavy-duty hose

MODEL	SIP PH900/200HDS HOT STEAM
PRODUCT CODE	08964
Input Supply	400 V - 3 Phase
Brushless Induction Motor	5500 W (7.5 HP), 4-pole
Maximum / Working Pressure	2900 psi (200 bar)
Water Flow Rate	900 Ltr/hr
Maximum Water Temperature	85 to 140°C
Pump Type	All-metal Brass-Headed Triplex Crankshaft
Hose Length	10 metre heavy-duty
Detergent Tank	3.5 Litre
Boiler Fuel Tank Capacity	18 Litre
Noise Level	92 dB(A)
Weight	128 kg
Packaged Dimensions	950 x 620 x 850 mm
Barcode Number	5012713089642



SHROUDED LANCE  
NOZZLE



EASY-TO-USE CONTROL  
PANEL



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

# PETROL-POWERED PRESSURE WASHERS

ITEM NO: 08912

## SIP TP420/130

AXIAL PUMP

LOW PRESSURE DETERGENT SUCTION

ANTI-VIBRATION MOUNTS

STRONG CARRY HANDLE WITH FOAM GRIP



	149 CC
	1885 PSI 130 BAR
	420 Ltr/hr
	18 KG

MODEL	SIP TP420/130
PRODUCT CODE	08912
Engine	149cc OHV Petrol
Maximum Pressure	1885 psi (130 bar)
Water Flow Rate	420 Ltr/hr
Hose Length	5 metre
Pump Type	Axial
Lance Type	Adjustable nozzle
Fuel Tank Capacity	750 ml
Weight	18 kg
Packaged Dimensions	820 x 750 x 860 mm
Barcode Number	5012713089123

### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle and 5 metre hose



REAR LANCE AND HOSE STORAGE RACK

ITEM NO: 08918

## SIP TP550/206

AXIAL PUMP

LOW PRESSURE DETERGENT SUCTION

UPRIGHT FRAME DESIGN WITH EXTRA-LARGE WHEELS


YouTube



Search:  
SipTechZone



EASY-PULL ENGINE START



INTERCHANGEABLE SPRAY NOZZLES


### WHAT'S IN THE BOX?

1x pressure washer, pistol type heavy-duty metal lance with 5 interchangeable spray nozzles and 7 metre hose

MODEL	SIP TP550/206
PRODUCT CODE	08918
Engine	7 HP (5.2 kW) 4-stroke OHV Petrol
Maximum Pressure	3000 psi (207 bar)
Water Flow Rate	545 Ltr/hr
Hose Length	7 metre
Pump Type	Axial
Lance Type	Heavy-duty with 5x spray nozzles
Fuel Tank Capacity	3.6 Litres
Weight	30 kg
Packaged Dimensions	655 x 555 x 510 mm
Barcode Number	5012713089185



	7 HP
	3000 PSI 207 BAR
	545 Ltr/hr
	30 KG



HEAVY-DUTY PUMP















# PETROL-POWERED PRESSURE WASHERS

**SIP TP650/175** ITEM NO: 08923  
**SIP TP760/190** ITEM NO: 08925  
**SIP TP1020/250** ITEM NO: 08930

BRASS-HEADED AXIAL PUMP (08923)

BRASS-HEADED TRIPLEX PUMPS (08925, 08930)

WHEEL-MOUNTED FOLDING FRAME DESIGN WITH  
 LARGE PNEUMATIC TYRES

08923	08925	08930
 6.5 HP	 6.5 HP	 13 HP
 2540 PSI 175 BAR	 2760 PSI 190 BAR	 3600 PSI 248 BAR
 650 Ltr/hr	 750 Ltr/hr	 1020 Ltr/hr
 47 KG	 50 KG	 66 KG



08923



SPACE-SAVING  
 FOLDING FRAME  
 DESIGN



INTERCHANGEABLE  
 NOZZLES WITH  
 FRAME-MOUNTED  
 HOLDER



08930

**HEAVY-DUTY  
 PNEUMATIC  
 TYRES**

**IDEAL FOR  
 FARMING &  
 CONTRACTOR  
 USE**



**ALL-METAL  
 BRASS-HEADED  
 AXIAL PLUNGER PUMP**  
 (08923)



**ALL-METAL  
 BRASS-HEADED  
 TRIPLEX CRANKSHAFT  
 PUMP**  
 (08925, 08930)

MODEL	SIP TP650/175	SIP TP760/190	SIP TP1020/250
PRODUCT CODE	08923	08925	08930
Engine	6.5 HP (4.8 kW) Petrol	6.5 HP (4.8 kW) Petrol	13 HP (9.7 kW) 4-stroke OHV Petrol
Maximum Pressure	2540 psi (175 bar)	2760 psi (190 bar)	3600 psi (248 bar)
Water Flow Rate	650 Ltr/hr	750 Ltr/hr	1020 Ltr/hr
Hose Length	8 metre	10 metre	9 metre
Pump Type	Axial	Triplex Crankshaft	Triplex Crankshaft
Lance Type	Heavy-duty with 5x spray nozzles	Heavy-duty with 5x spray nozzles	Heavy-duty with 5x spray nozzles
Fuel Tank Capacity	3.6 Litre	3.6 Litre	3.6 Litre
Weight	47 kg	50 kg	66 kg
Packaged Dimensions	710 x 400 x 475 mm	720 x 400 x 485 mm	790 x 510 x 610 mm
Barcode Number	5012713089239	5012713089253	5012713089307



# KOHLER PETROL-POWERED PRESSURE WASHERS

**SIP PP570/150WM** ITEM NO: 08442

**SIP PP660/165WM** ITEM NO: 08446

**SIP PP760/190WM** ITEM NO: 08443

BRASS-HEADED AXIAL PUMP (08442, 08446)

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP (08443)

SUCKS WATER (08446)

WHEEL-MOUNTED FOLDING FRAME DESIGN WITH  
LARGE PNEUMATIC TYRES



5 INTERCHANGEABLE  
NOZZLES WITH  
FRAME-MOUNTED  
HOLDER



SPACE-SAVING  
FOLDING FRAME

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE

08442

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

KOHLER  
7 HP

2175 PSI  
150 BAR

570 Ltr/hr

38 KG

08446

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

KOHLER  
7 HP

2393 PSI  
165 BAR

660 Ltr/hr

UP TO  
2 Mtrs\*\*

40 KG

08443

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

KOHLER  
7 HP

2760 PSI  
190 BAR

756 Ltr/hr

42 KG

**33% LONGER  
RUNNING TIMES  
COMPARED TO HONDA**

**LONGER SERVICE  
INTERVALS**



08443

HEAVY-DUTY  
PNEUMATIC  
TYRES



ALL-METAL  
BRASS-HEADED  
AXIAL PLUNGER PUMP  
(08442, 08446)



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP  
(08443)

MODEL	SIP PP570/150WM	SIP PP660/165WM	SIP TP760/190WM
PRODUCT CODE	08442	08446	08443
Engine	7 HP Kohler	7 HP Kohler	7 HP Kohler
Maximum Pressure	2175 psi (150 bar)	2393 psi (165 bar)	2760 psi (190 bar)
Water Flow Rate	570 Ltr/hr	660 Ltr/hr	756 Ltr/hr
Hose Length	8 metre (heavy-duty rubber)	8 metre (heavy-duty rubber)	10 metre (heavy-duty rubber)
Pump Type	Brass-Headed Axial	Brass-Headed Axial	Brass-Headed Triplex Crankshaft
Lance Type	Heavy-duty with 5x spray nozzles	Heavy-duty with 5x spray nozzles	Heavy-duty with 5x spray nozzles
Sucks Water	-	Up to 2 metres**	-
Fuel Tank Capacity	4.1 Litres	4.1 Litres	4.1 Litres
Weight	38 kg	40 kg	42 kg
Packaged Dimensions	650 x 560 x 620 mm	650 x 560 x 620 mm	650 x 560 x 620 mm
Barcode Number	5012713084425	5012713084463	5012713084432

\*\*Low pressure priming necessary

**KOHLER**  
IN POWER. SINCE 1920.

**3 YEAR  
ENGINE WARRANTY**

**PREMIER QUALITY**

© Copyright Kohler Co.

# KOHLER PETROL-POWERED PRESSURE WASHERS

**SIP PP960/210WM** ITEM NO: 08448  
**SIP PP960/280WM** ITEM NO: 08450

BRASS-HEADED TRIPLEX CRANKSHAFT PUMPS

SUCKS WATER

HEAVY-DUTY DUAL LANCE WITH 'Hi-Lo' SIDE HANDLE SPRAY ADJUSTMENT

WHEEL-MOUNTED FOLDING FRAME DESIGN WITH LARGE PNEUMATIC TYRES



SPACE-SAVING  
FOLDING FRAME

**IDEAL FOR  
FARMING &  
CONTRACTOR  
USE**



Don't forget  
**KOHLER ENGINE  
SERVICE PARTS & SIP OIL**  
See page 31

08448

08450

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

**KOHLER  
14 HP**

**KOHLER  
14 HP**

**3045 PSI  
210 BAR**

**4005 PSI  
276 BAR**

**960 Ltr/hr**

**960 Ltr/hr**

**UP TO  
2 Mtrs\*\***

**UP TO  
2 Mtrs\*\***

**77 KG**

**78 KG**

**33% LONGER  
RUNNING TIMES  
COMPARED TO HONDA**

**LONGER SERVICE  
INTERVALS**



08450

**HEAVY-DUTY  
PNEUMATIC  
TYRES**



**ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP  
(08448)**

MODEL	SIP PP960/210WM	SIP PP960/280WM
PRODUCT CODE	08448	08450
Engine	14 HP Kohler	14 HP Kohler
Maximum Pressure	3045 psi (210 bar)	4005 psi (276 bar)
Water Flow Rate	960 Ltr/hr	960 Ltr/hr
Hose Length	10 metre (heavy-duty rubber)	10 metre (heavy-duty rubber)
Pump Type	Brass-Headed Triplex Crankshaft	Brass-Headed Triplex Crankshaft
Lance Type	Dual with high-low side handle adjustment	Dual with high-low side handle adjustment
Sucks Water	Up to 2 metres**	Up to 2 metres**
Fuel Tank Capacity	7.3 Litres	7.3 Litres
Weight	77 kg	78 kg
Packaged Dimensions	650 x 560 x 620 mm	650 x 560 x 620 mm
Barcode Number	5012713084487	5012713084500

\*\*Low pressure priming necessary

**KOHLER®**  
IN POWER. SINCE 1920.

**3 YEAR  
ENGINE WARRANTY**

**PREMIER QUALITY**

© Copyright Kohler Co.



sales hotline: 01509 500500

www.sip-group.com

25



# HONDA GP PETROL-POWERED PRESSURE WASHERS

**SIP THGP570/150** ITEM NO: 08642

**SIP THGP660/165** ITEM NO: 08646

**SIP THGP760/190** ITEM NO: 08643

BRASS-HEADED AXIAL PUMP (08642, 08646)

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP (08643)

SUCKS WATER (08646)

HEAVY-DUTY LANCE WITH ADJUSTABLE SPRAY NOZZLE (08642, 08646)

HEAVY-DUTY LANCE WITH 5 SPRAY NOZZLES (08643)

WHEEL-MOUNTED FOLDING FRAME DESIGN WITH LARGE PNEUMATIC TYRES



SPACE-SAVING  
FOLDING FRAME  
DESIGN



08642

**IDEAL FOR  
FARMING &  
CONTRACTOR  
USE**



08643

**HEAVY-DUTY  
PNEUMATIC  
TYRES**

08642

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

HONDA  
GP150

2175 PSI  
150 BAR

570 Ltr/hr

30.5 KG

08646

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

HONDA  
GP200

2393 PSI  
165 BAR

660 Ltr/hr

UP TO  
2 Mtrs\*\*

38 KG

08643

ASSEMBLED &  
TESTED BY  
SIP IN THE UK

HONDA  
GP200

2760 PSI  
190 BAR

756 Ltr/hr

42 KG



Don't forget  
**HONDA ENGINE  
SERVICE PARTS & SIP OIL**  
See page 31



**ALL-METAL  
BRASS-HEADED  
AXIAL PLUNGER PUMP**  
(08642, 08646)



**ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP**  
(08643)

MODEL	SIP THGP570/150	SIP THGP660/165	SIP THGP760/190
PRODUCT CODE	08642	08646	08643
Engine	GP150 Honda	GP200 Honda	GP200 Honda
Maximum Pressure	2175 psi (150 bar)	2393 psi (165 bar)	2760 psi (190 bar)
Water Flow Rate	570 Ltr/hr	660 Ltr/hr	756 Ltr/hr
Hose Length	8 metre (heavy-duty rubber)	8 metre (heavy-duty rubber)	10 metre (heavy-duty rubber)
Pump Type	Brass-Headed Axial	Brass-Headed Axial	Brass-Headed Triplex Crankshaft
Lance Type	Heavy-duty with adjustable nozzle	Heavy-duty with adjustable nozzle	Heavy-duty with 5x spray nozzles
Sucks Water	-	Up to 2 metres**	-
Fuel Tank Capacity	3.6 Litres	3.6 Litres	3.6 Litres
Weight	30.5 kg	38 kg	42 kg
Packaged Dimensions	650 x 560 x 620 mm	650 x 560 x 620 mm	650 x 560 x 620 mm
Barcode Number	5012713086429	5012713086467	5012713086436

\*\*Low pressure priming necessary

**POWERED by  
HONDA™**  
**2 year engine warranty**

The Honda GP series engines offer outstanding reliability, excellent build quality, compact design, low oil alert and come with a 2 year manufacturer warranty.



# HONDA GX PETROL-POWERED PRESSURE WASHERS

**SIP PP660/165** ITEM NO: 08946  
**SIP PP760/190** ITEM NO: 08943  
**SIP PP960/210** ITEM NO: 08948  
**SIP PP960/280** ITEM NO: 08950

**BRASS-HEADED AXIAL PUMP (08946)**

**BRASS-HEADED TRIPLEX CRANKSHAFT PUMP (08943, 08948, 08950)**

**SUCKS WATER (08946, 08948)**

**HEAVY-DUTY LANCE WITH 5 SPRAY NOZZLES (08943)**

**HEAVY-DUTY LANCE WITH ADJUSTABLE SPRAY NOZZLE (08946)**

**HEAVY-DUTY DUAL LANCE WITH 'Hi-Lo' SIDE HANDLE SPRAY ADJUSTMENT (08948, 08950)**

**WHEEL-MOUNTED FOLDING FRAME DESIGN WITH LARGE PNEUMATIC TYRES**

08946	08943	08948	08950
ASSEMBLED & TESTED BY SIP IN THE UK	ASSEMBLED & TESTED BY SIP IN THE UK	ASSEMBLED & TESTED BY SIP IN THE UK	ASSEMBLED & TESTED BY SIP IN THE UK
HONDA GX160	HONDA GX200	HONDA GX340	HONDA GX390
2393 PSI 165 BAR	2760 PSI 190 BAR	3045 PSI 210 BAR	4005 PSI 276 BAR
660 Ltr/hr	756 Ltr/hr	960 Ltr/hr	960 Ltr/hr
UP TO 2 Mtrs**	42 KG	UP TO 2 Mtrs**	UP TO 2 Mtrs**
38 KG		73 KG	73 KG



SPACE-SAVING  
FOLDING FRAME  
DESIGN



08946

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE



ALL-METAL  
BRASS-HEADED  
AXIAL PLUNGER PUMP  
(08946)



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP  
(08943, 08948, 08950)



08950

HEAVY-DUTY  
PNEUMATIC  
TYRES

POWERED by  
**HONDA**  
3 year engine warranty

The Honda GX series engines offer outstanding reliability, excellent build quality, compact design, low oil alert and come with a 3 year manufacturer warranty

MODEL	SIP PP660/165	SIP PP760/190	SIP PP960/210	SIP PP960/280
PRODUCT CODE	08946	08943	08948	08950
Engine	GX160 Honda	GX200 Honda	GX340 Honda	GX390 Honda
Maximum Pressure	2393 psi (165 bar)	2760 psi (190 bar)	3045 psi (210 bar)	4005 psi (276 bar)
Water Flow Rate	660 Ltr/hr	756 Ltr/hr	960 Ltr/hr	960 Ltr/hr
Hose Length	8 metre (heavy-duty rubber)	10 metre (heavy-duty rubber)	10 metre (heavy-duty rubber)	10 metre (heavy-duty rubber)
Pump Type	Brass-Headed Axial	Brass-Headed Triplex Crankshaft	Brass-Headed Triplex Crankshaft	Brass-Headed Triplex Crankshaft
Lance Type	Heavy-duty with adjustable nozzle	Heavy-duty with 5x spray nozzles	Dual with high-low side handle adjustment	Dual with high-low side handle adjustment
Sucks Water	Up to 2 metres**	-	Up to 2 metres**	Up to 2 metres**
Fuel Tank Capacity	3.6 Litres	3.6 Litres	6 Litres	6 Litres
Weight	38 kg	42 kg	73 kg	73 kg
Packaged Dimensions	650 x 560 x 620 mm	650 x 560 x 620 mm	650 x 560 x 620 mm	650 x 560 x 620 mm
Barcode Number	5012713089468	5012713089437	5012713089482	5012713089505

\*\*Low pressure priming necessary

# GEARBOX-DRIVEN PETROL-POWERED PRESSURE WASHERS

Available as trade diesel, petrol or professional Honda petrol editions.

The gearbox reduces the pump speed for less wear and tear and prolonged life, without affecting performance.

Product features and benefits include:

- Ideal for farming or contractor use with powerful engines and large pneumatic tyres

- Super space-saving powder-coated folding frame for easy storage
- Low oil protection prevents engine damage
- Heavy-duty metal lance
- Nozzles included

## 50% REDUCED PUMP SPEED

LARGER GEARBOX • HIGH PRESSURE FLOW SLOW-RUNNING



ITEM NO: 08926

### SIP TPG680/210

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

REDUCING GEARBOX

HEAVY-DUTY LANCE WITH 5 SPRAY NOZZLES

WHEEL-MOUNTED FOLDING FRAME DESIGN WITH LARGE PNEUMATIC TYRES

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE

MODEL	SIP TPG680/210
PRODUCT CODE	08926
Engine	6.5 HP Petrol
Maximum Pressure	3000 psi (207 bar)
Water Flow Rate	676 Ltr/hr
Hose Length	9 metre
Pump Type	Brass-Headed Triplex Crankshaft
Lance Type	Heavy-duty with 5x spray nozzles
Fuel Tank Capacity	3.6 Litres
Weight	42 kg
Packaged Dimensions	770 x 410 x 500 mm
Barcode Number	5012713089260



HEAVY-DUTY  
PNEUMATIC  
TYRES



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP



6.5HP  
PETROL



3000 PSI  
207 BAR



676 Ltr/hr



42 KG

ITEM NO: 08928

### SIP TDG1021/250 Diesel

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

REDUCING GEARBOX

ELECTRIC START

HEAVY-DUTY LANCE WITH 5 SPRAY NOZZLES

WHEEL-MOUNTED TROLLEY FRAME WITH LARGE PNEUMATIC TYRES

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE

MODEL	SIP TDG1021/250 DIESEL
PRODUCT CODE	08928
Engine	10 HP Diesel
Maximum Pressure	3600 psi (248 bar)
Water Flow Rate	1002 Ltr/hr
Hose Length	9 metre
Pump Type	Brass-Headed Triplex Crankshaft
Lance Type	Heavy-duty with 5x spray nozzles
Fuel Tank Capacity	5.5 Litres
Weight	106 kg
Packaged Dimensions	800 x 540 x 650 mm
Barcode Number	5012713089284



HEAVY-DUTY  
PNEUMATIC  
TYRES



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP



10 HP  
DIESEL



3600 PSI  
248 BAR



1002  
Ltr/hr



106 KG



# GEARBOX-DRIVEN PETROL-POWERED PRESSURE WASHERS

ITEM NO: 08947

## SIP PPG680/210

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

REDUCING GEARBOX

HEAVY-DUTY LANCE WITH 5 SPRAY NOZZLES

WHEEL-MOUNTED FOLDING FRAME DESIGN WITH LARGE PNEUMATIC TYRES



SPACE-SAVING  
FOLDING FRAME  
DESIGN

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE

MODEL	SIP PPG680/210
PRODUCT CODE	08947
Engine	GX200 Honda
Maximum Pressure	3000 psi (207 bar)
Water Flow Rate	676 Ltr/hr
Hose Length	9 metre (heavy-duty rubber)
Pump Type	Brass-Headed Triplex Crankshaft
Lance Type	Heavy-duty with 5x spray nozzles
Fuel Tank Capacity	3.6 Litres
Weight	57 kg
Packaged Dimensions	650 x 560 x 620 mm
Barcode Number	5012713086436



HEAVY-DUTY  
PNEUMATIC  
TYRES



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

ASSEMBLED &  
TESTED BY  
SIP IN THE UK



676 Ltr/hr



HONDA  
GX200



57 KG



3000 PSI  
207 BAR

POWERED by  
**HONDA**  
3 year engine warranty

The Honda GX series engines offer outstanding reliability, excellent build quality, compact design, low oil alert and come with a 3 year manufacturer warranty

ITEM NO: 08952

## SIP PPG1002/250

BRASS-HEADED TRIPLEX CRANKSHAFT PUMP

REDUCING GEARBOX

HEAVY-DUTY DUAL LANCE WITH 'Hi-Lo' SIDE HANDLE SPRAY ADJUSTMENT

WHEEL-MOUNTED 'WHEELBARROW' FRAME DESIGN WITH LARGE PNEUMATIC TYRES

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE

MODEL	SIP PPG1002/250
PRODUCT CODE	08952
Engine	GX390 Honda
Maximum Pressure	3600 psi (248 bar)
Water Flow Rate	1002 Ltr/hr
Hose Length	10 metre (heavy-duty rubber)
Pump Type	Brass-Headed Triplex Crankshaft
Lance Type	Dual with high-low side handle adjustment
Fuel Tank Capacity	6 Litres
Weight	72 kg
Packaged Dimensions	1200 x 600 x 670 mm
Barcode Number	5012713089529



HEAVY-DUTY  
PNEUMATIC  
TYRES



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

ASSEMBLED &  
TESTED BY  
SIP IN THE UK



1002 Ltr/hr



HONDA  
GX390



72 KG



3600 PSI  
248 BAR

POWERED by  
**HONDA**  
3 year engine warranty

The Honda GX series engines offer outstanding reliability, excellent build quality, compact design, low oil alert and come with a 3 year manufacturer warranty




# HONDA PETROL-POWERED PRESSURE WASHERS


ITEM NO: 08916


## SIP PPB480/160 Bowser


- BRASS-HEADED TRIPLEX CRANKSHAFT PUMP
- REGULATED LOW PRESSURE DETERGENT SUCTION
- PRESSURE GAUGE
- HEAVY-DUTY METAL LANCE WITH ADJUSTABLE NOZZLE
- SWIVEL CONNECTOR
- INTEGRATED UNLOADER VALVE
- WHEEL-MOUNTED DESIGN WITH LARGE PNEUMATIC TYRES


MADE IN ITALY

 HONDA GX160

 2320 PSI  
160 BAR

 480 Ltr/hr

 120 Ltr

 70 KG

2

YEAR WARRANTY



EXTERNAL SUCTION FILTER



POWERFUL AND PORTABLE

IDEAL FOR  
FARMING &  
CONTRACTOR  
USE



**WHAT'S IN THE BOX?**  
1x pressure washer, pistol type heavy-duty metal lance with adjustable nozzle, hose reel with 5 metre hose

MODEL	SIP PPB480/160 BOWSER
PRODUCT CODE	08916
Engine	GX160 Honda
Maximum Pressure	2320 psi (160 bar)
Water Flow Rate	480 Ltr/hr
Tank/Bowser Capacity	120 Litres
Pump Type	All-metal Brass-Headed Triplex
Hose Length	15 metre
Fuel Tank Capacity	3.6 Litres
Noise Level	106 dB(A)
Weight	70 kg
Packaged Dimensions	1100 x 780 x 1180 mm
Barcode Number	5012713089161



ALL-METAL  
BRASS-HEADED  
TRIPLEX CRANKSHAFT  
PUMP

POWERED by  
**HONDA**  
3 year engine warranty

The Honda GX series engines offer outstanding reliability, excellent build quality, compact design, low oil alert and come with a 3 year manufacturer warranty

# PRESSURE WASHER ACCESSORIES & CONSUMABLES

ITEM NO: 04568 (Green) / 04571 (Black)

## SIP 20 Litre Steel Fuel Can

- Heavy-duty steel construction
- 20 litre capacity

Barcode Number: 5012713045686

Barcode Number: 5012713045716



ITEM NO: 04569 (Green) / 04573 (Black)

## SIP Fuel Can Flexi-Spout

- Directional flexi-spout
- Allows for safe dispensing of fuel
- Heavy-duty construction

Barcode Number: 5012713045693

Barcode Number: 5012713045730



ITEM NO: 02385

## SIP Pressure Washer Detergent (5 Litre)

- Heavy-duty concentrated detergent specially formulated for the cleaning and removal of traffic film, heavy greasing and stubborn ingrained soiling.

Barcode Number: 5012713023851

ITEM NO: 02402

## SIP Valeting Detergent (5 Litre)

- Heavy-duty concentrated, low foaming, cleaner specially formulated for the cleaning and removal of soiling from carpets and upholstery

Barcode Number: 5012713024025

ITEM NO: 02419

## SIP Advanced Engine Oil (1 Litre)

- Formulated with high quality mineral oils which contain selected additives
- Controls high temperature 'varnish'
- Gives maximum protection at all times
- Good anti-wear and carbon dispersment
- For use with 4-stroke engines + equipment

Barcode Number: 5012713024193

## SIP Honda™ and Kohler® Petrol Engine Service Parts / Kits

A range of service kits for our range of Honda and Kohler petrol engine powered generators and pressure washers.



### SIP Service Parts - HONDA

PRODUCT CODE	DESCRIPTION	Barcode Number
14552	Air Filter for GX160 / GP200 engines	5012713145522
14553	Air Filter for GX240 / GX270 engines	5012713145539
14564	Air Filter for GX340 / GX390 engines	5012713145645
14594	Spark plug for all Honda GP and GX engines	5012713145942


### SIP Service Kits - KOHLER

PRODUCT CODE	DESCRIPTION	Barcode Number
04480	KOHLER Service Kit for CH270 - 7 HP	5012713044801
04482	KOHLER Service Kit for CH395 - 9.5 HP	5012713044825
	KOHLER Service Kit for CH440 - 14 HP	

# SIP SCRUBBER/DRYER ACCESSORIES

ITEM NO: 07980 & 07982

## SIP Scrubber/Dryers




**PW23-00001**  
Brush 360mm - 14" Ø  
Medium Resistance  
(0.6mm bristles)



**PW23-00008**  
Brush 360mm - 14" Ø  
Abrasive Brush

**PW23-00009**  
Brush 360mm - 14" Ø  
Medium Resistance  
(0.35mm bristles)

**PW23-00010**  
Brush 360mm - 14" Ø  
Soft Brush



**PW23-00011**  
Pad Driver 360mm - 14" Ø  
Abrasive Disc Adaptor



**PW23-00012**  
Abrasive Pad 360mm - 15" Ø  
Beige (Fine) PKT 5

**PW23-00013**  
Abrasive Pad 360mm - 15" Ø  
Green (Medium) PKT 5

**PW23-00014**  
Abrasive Pad 360mm - 15" Ø  
Black (Coarse) PKT 5



**PW23-00002**  
Squeegee 537 x 1.5mm  
FRONT (Rubber)

**PW23-00006**  
Squeegee 537 x 2.5mm  
FRONT (Polyurethane)



**PW23-00003**  
Squeegee 590 x 2.5mm  
REAR (Rubber)

**PW23-00007**  
Squeegee 590 x 3mm  
REAR (Polyurethane)



**PW23-00015**  
Extension Lead  
15 metres

ITEM NO: 07984 & 07986

## SIP Scrubber/Dryers




**PW23-00016**  
Brush 430mm - 17" Ø  
Medium Resistance  
(0.6mm bristles)



**PW23-00023**  
Brush 430mm - 17" Ø  
Abrasive Brush

**PW23-00024**  
Brush 430mm - 17" Ø  
Medium Resistance  
(0.35mm bristles)

**PW23-00025**  
Brush 430mm - 17" Ø  
Soft Brush



**PW23-00026**  
Pad Driver 430mm - 17" Ø  
Abrasive Disc Adaptor



**PW23-00027**  
Abrasive Pad 430mm - 17" Ø  
Beige (Fine) PKT 5

**PW23-00028**  
Abrasive Pad 430mm - 17" Ø  
Green (Medium) PKT 5

**PW23-00029**  
Abrasive Pad 430mm - 17" Ø  
Black (Coarse) PKT 5



**PW23-00017**  
Squeegee 665 x 2.5mm  
FRONT (Rubber)

**PW23-00021**  
Squeegee 665 x 3mm  
FRONT (Polyurethane)



**PW23-00018**  
Squeegee 775 x 3mm  
REAR (Rubber)

**PW23-00022**  
Squeegee 775 x 4mm  
REAR (Polyurethane)



**PW23-00015**  
Extension Lead  
15 metres



# SIP SCRUBBER/DRYER USAGE & CONSUMABLES

## SIP Scrubber/Dryers - Brushes & Abrasive Discs

CODE	TYPE	DESCRIPTION	APPLICATIONS
PW23-00001 PW23-00009	Brush (0.6mm Bristles)	Medium Resistance	Suitable for most floors. Good wear resistance.
PW23-00016 PW23-00024	Brush (0.35mm Bristles)		
PW23-00010 PW23-00025	Brush	Soft Bristle	Suitable for carpets & delicate floors. Low wear resistance.
PW23-00008 PW23-00023	Brush	Abrasive	Deep cleaning. Irregular floors or with wide joints. Very resistant.
PW23-00012 PW23-00027	Abrasive Disc (beige)	Fine Abrasiveness (Dry Use)	All types of floors.
PW23-00013 PW23-00028	Abrasive Disc (green)	Medium Abrasiveness (Wet Use)	For wax removal and surface preparation.
PW23-00014 PW23-00029	Abrasive Disc (black)	High Abrasiveness (Wet Use)	For surface heavy stripping.

## SIP Scrubber/Dryers - Detergents & Solutions

CODE	DESCRIPTION	PROPERTIES
PW23-00050	Fragrance Free Sanitising Detergent PH7.8 - 8.2 1000g/ml	Destroys unpleasant odours, fights bacteria, harmful micro-organisms, fungi and mould. Contains ammonium salts.
PW23-00051	Fragranced Sanitising Detergent PH7.8 - 8.2 1000g/ml	Destroys unpleasant odours, fights bacteria, harmful microorganisms, fungi and mould. Contains ammonium salts, leaves a fresh long lasting fragrance.
PW23-00052	Alcohol Based Maintenance Detergent PH6.6 - 7.0 1000g/ml	Quick drying universal neutral detergent, does not corrode polymers, natural or synthetic waxes. Leaves a pleasant fragrance. Does not leave residue.
PW23-00053	Non-Alcohol Based Maintenance Detergent PH7.6.3 - 6.7 1000g/ml	Universal neutral detergent, does not corrode polymers, natural or synthetic waxes. Leaves a pleasant fragrance. Does not leave residue.
PW23-00054	Non Stratifying Wax Wash Detergent PH8.8 - 9.2 1000g/ml	Cleans and shines surfaces. Regenerates protective and wax treatments. Non-filmogenous and leaves a pleasant fragrance.
PW23-00055	Fragrance Free Wax Removing Detergent PH8.8 - 9.2 1000g/ml	Removes any type of wax or polymer.
PW23-00056	Alkaline Multi-purpose Detergent PH6.7 - 6.9 1000g/ml	Dissolves and detaches organic and inorganic dirt.
PW23-00057	Solvent Detergent (vegetable origin) PH5.8 - 6.2 1000g/ml	Eliminates tar, rubber, glue and adhesive residues. Removes stratified wax films. Disintegrates persistent dirt from animal or mineral origin.

**SIP (INDUSTRIAL PRODUCTS) LIMITED**

Gelders Hall Road, Shepshed, Loughborough, Leicestershire LE12 9NH UK

[www.sip-group.com](http://www.sip-group.com)



**GENERAL ENQUIRIES**

Tel: 01509 500300

Fax: 01509 503154

**TECHNICAL / AFTER-SALES SERVICE**

Tel: 01509 500400

Fax: 01509 500456

Email: [technical@sip-group.com](mailto:technical@sip-group.com)

**SALES**

Tel: 01509 500500

Fax: 01509 500456

Email: [sales@sip-group.com](mailto:sales@sip-group.com)

**EXPORT**

Tel: +44 (0)1509 500321

Fax: +44 (0)1509 500333

Email: [export@sipindustrial.com](mailto:export@sipindustrial.com)



**SIP - Shepshed UK**

your nearest SIP distributor is:



**Facebook:** [/sipindustrial](https://www.facebook.com/sipindustrial)

**Twitter:** [@sipindustrial](https://twitter.com/sipindustrial)

**YouTube:** [/siptechzone](https://www.youtube.com/siptechzone)

**Instagram:** [@sipindustrial](https://www.instagram.com/sipindustrial)

CAT No: 00007

Every reasonable effort is made to present current and accurate information at the time of print. However, SIP do reserve the right to change details or specifications without prior notice. Photographs are for illustration purposes only.

E & OE. Contents and images are copyright © SIP Ltd. and cannot be reproduced without express written permission.

Design, photography & illustration by SIP Design

Job No.: MB01650-01-19

